



COMMONWEALTH OF VIRGINIA
Department of Mines, Minerals and Energy
Division of Mined Land Reclamation

Garden Creek CL Wasteload Report 2025-Q4

01-01-2025 to 12-31-2025

Watershed Information

Stressor:	CL	Watershed Acres:	19,347
Wasteload Allocation:	357,149	Watershed Permits:	2
EPA TMDL Approval Date:	11/04/07	Watershed Outfalls:	16

Watershed Wasteload and Reduction Summary¹

	Pre-TMDL Wasteloads ²	Post-TMDL Wasteloads ³	Total
Wasteload Allocation Available ⁴	357,149	356,432	357,149
Wasteload ⁵	717	11,652	12,368
Wasteload Balance	356,432	344,781	344,781
Wasteload Reduction Required ⁶	0	0	0
Percent Reduction Required ⁷	0.0%	0.0%	0.0%

¹ Wasteload units are in kg/year unless otherwise noted.

² Pre-TMDL Wasteloads are calculated from outfalls existing before the EPA's approval of the TMDL.

³ Post-TMDL wasteloads are calculated from outfalls added after the EPA's approval of the TMDL.

⁴ The wasteload allocation available for pre-TMDL outfalls is the approved wasteload allocation for the watershed. The wasteload allocation available for post-TMDL outfalls is any remaining balance not used by pre-TMDL outfalls.

⁵ Wasteloads are calculated on a quarterly basis using reported monitoring data, which includes samples taken when an alternate effluent limitation (AEL) precipitation event is utilized.

⁶ In order to meet the wasteload allocation, all negative wasteload balance (i.e. the amount of wasteload exceeding the wasteload allocation) must be reduced.

⁷ The percent reduction required is used to assign wasteload reductions to permits when the watershed's wasteload exceeds the available wasteload allocation.

Permit Wasteload and Reduction Summary⁸

Permit Number	Pre-TMDL Wasteload ⁹	Pre-TMDL Reduction Required ¹⁰	Post-TMDL Wasteload ¹¹	Post-TMDL Reduction Required ¹²	Total Wasteload	Total Wasteload Reduction Required
1202086	0	0	0	0	0	0
1402152	717	0	11,652	0	12,368	0
Total	717	0	11,652	0	12,368	0

⁸ Wasteload units are in kg/year unless otherwise noted.

⁹ The wasteload calculated from outfalls existing before the EPA's approval of the TMDL.

¹⁰ Pre-TMDL reduction calculated by multiplying the pre-TMDL wasteload by the watershed's pre-TMDL percent reduction required.

¹¹ The wasteload

¹² Post-TMDL reduction calculated by multiplying the post-TMDL wasteload by the watershed's post-TMDL percent reduction required.